

Project ALI  E



Accessible Life-saving Integrated Vaccine Equity

Using a Trauma-Informed Framework for Mitigating Disability Bias

Welcome and About Us

Welcome and Introductions

Project ALIVE (Accessible Life-saving Integrated Vaccine Equity) is a short-term (February-October 2022) focused effort to remove barriers to COVID-19 vaccinations for people with disabilities living in the rural areas of Arkansas, Missouri, and Montana.

The goal is to help those wanting a vaccine and needing support, to access one.

Project ALIVE: Arkansas Partners

Project ALIVE



Accessible Life-saving Integrated Vaccine Equity

Brought to you by | Traído por



Disclaimer

Material presented does not constitute legal or clinical advice and is for informational purposes only. If you are seeking legal or clinical advice, please contact a qualified attorney or clinician.

This Presentation is an Overview

This presentation is an overview of disability bias and its related trauma. Many specifics have not been included here.

Objectives

For you to be able to:

- Recognize unconscious disability bias and ableism in health care
- Interrupt disability bias during planning and service provision
- Use most appropriate disability etiquette
- Understand the relationship between ableism, other forms of bias and trauma
- Design and manage an environment and process that best supports people with disabilities to receive COVID-19 vaccinations

Words Associated with Disabled People

Many people associate negative words with disability, such as:

- Dependent
- Burden
- Suffering
- Violent (mental health conditions)

Positive Associations

Here are some positive words you might associate with disability:

- Independent
- Thriving
- Educated
- Employed
- Entrepreneur
- Activist/Advocate
- Happy
- Fulfilled
- Health Care Providers

Positive Associations

In other words, the same associations that non-disabled people have/should have of and for themselves.

“Positive” Stereotypes

Harmful “Positive” Stereotypes

Some “positive” stereotypes that still harm disabled people are:

- Brave
- Compensatory Abilities/Senses
- Dependable

“I’m not your inspiration” - Stella Young



Comfort and Discomfort with Disabled People

You may be more comfortable with disabled people when you have a relationship with them as:

- Members of your family
- Friends
- Colleagues

Comfort and Discomfort with Disabled People

You may be less comfortable with disabled people when you don't have a relationship with them because:

- You are uncomfortable with their disability
- You are afraid to ask questions
- You don't know what to do

What Do We Mean by Bias?

Bias is:

- Prejudice in favor of or against one thing, person, or group compared with another, usually in a way considered to be unfair.
- Often done unconsciously

Unconscious Bias

Unconscious bias is a bias/prejudice of which the holder is **unaware**.

- It may not be easy to identify.
- It communicates that the person the bias is directed toward is less valuable than others.
- People toward whom unintentional bias is directed may or may not be consciously aware of its existence and its effects.

Ableism

ableism

noun

able·ism | \ 'ā-bə- ,li-zəm \

Definition of *ableism*: discrimination or prejudice against individuals with disabilities'

- Merriam –Webster

Oppression based on physical, mental, intellectual, cognitive, sensory or other ability or perceived ability

- Melissa Marshall

Intersectionality

Intersectionality is a way to analyze the interlocking effects people with multiple marginalized identities experience.

People of Color, religious and ethnic minorities, low income and other multiply marginalized people with disabilities experience disproportionate bias, ableism, and discrimination.

Privilege

Privilege can be understood as anything from which one benefits that they did nothing to earn. We all have some types of privilege

- It is difficult to see our privilege.
 - Fish in water don't know that they are wet.
- Privilege can make the condition and needs of others invisible to us and lead to unconscious bias.

Effects of Privilege

People with privileges often don't think about people without it when planning and conducting services and activities.

Acknowledging Our Privilege

It's important to acknowledge our privilege because:

- It helps us to remember those without that privilege
- We can use our privilege to advocate for those without our particular privilege
- We can use our position and privilege to educate our peers

Key Terms and Principles

“**Microaggressions** are the everyday slight, put down, indignity, or invalidation unintentionally directed toward a marginalized group.”

– Dr. Derald Sue, Professor of Psychology and Education

- Microaggressions can be the result of unconscious bias or unacknowledged privilege
- Microaggressors often do not intend any harm
- Microaggressions may be a sign of discomfort
- Microaggressions point out differences

Disability Microaggressions

Examples:

- Tone
 - Patronizing tone/words such as “honey, baby, dear”
 - Infantilizing tone
- Word choice
 - Using language that expresses bias such as “brave, courageous”

Disability Microaggressions

Examples include:

- Touching someone's wheelchair or other device without permission
 - Is it OK for someone you don't know to touch your property while speaking to you?
- Touching a person without permission
 - Ex. helping someone put on a jacket without asking if they need help

Disability Microaggressions

Examples include:

- Bringing attention to differences
 - Ex. telling someone using a scooter or wheelchair that you are going to give them a speeding ticket



Key Terms and Principles

Microaggression Equation:

Microaggression + Microaggression + Microaggression =

MACRO effects of:

- Alienation
- Frustration
- Low self-esteem
- Ableism
- Discrimination
- Lower Productivity

Reducing Disability Bias

Language

Use the terms “people with disabilities” or “disabled people”

Avoid language that presupposes the negative

- Victim of...
- Suffering from...
- Challenged

Avoid language that groups people

- The mentally ill
- The disabled

Language

Avoid “endearing” terms:

- Honey
- Sweetie
- Dear

Avoid infantilizing terms:

- Mamma
- Baby

Disability Etiquette

Disability Etiquette

The following slides address some specific types of disabilities and is not inclusive of all disabilities.

These suggestions may not work in every situation. Make sure to communicate with the disabled person and ask them what they need.

[Source: Etiquette: Interacting with People with Disabilities](#)

[Resource: Disability Etiquette](#)

Offering Help

It's okay to offer to help someone who appears to need assistance.
Respect their response.

Always ask permission *before* helping someone.

Disability Etiquette

Blind and Low Vision

- Identify yourself and others when entering the room and let the person know when you leave the room.
- Offer a tour of the facility to a new person. Assist with navigation *if asked*.
- Offer your arm if they ask to be guided. Do not take the person's arm.

Disability Etiquette

Blind and Low Vision

- If the person has a guide dog, walk on the side opposite of the dog.
- Describe the setting and any obstacles as you walk with the person.
- Narrate events as they happen during the appointment.
- Keep walkways free of obstructions. Keep doors all the way open or all the way closed.

Disability Etiquette

Blind and Low Vision

- Inform people about furniture or structural changes
- If asked, be willing to read information or assist with completing and signing paperwork
- Make sure websites are screen reader accessible

Disability Etiquette

Deaf and Hard of Hearing

- Ask the person for their preferred communication mode.
- Face the person directly when speaking. Don't block your lips.
- Be open to using alternative communication methods requested, such as writing or assistive listening devices. Don't assume that all deaf/hard of hearing people use sign language or read lips.

Disability Etiquette

Deaf and Hard of Hearing

- If the person uses an American Sign Language (ASL) interpreter, speak directly to the person, not the interpreter.
- Do not yell, over enunciate, eat or chew gum when talking.
- Use a customary tone of voice unless otherwise requested.
- Speak slowly and clearly.
- Gently tap on the person's shoulder or wave to get their attention.

Disability Etiquette

Speech Disabilities

- Ask them to tell you how they communicate. Ask if they want to write, use a communication board or a speech generating device.
- If the person has brought someone else to help them communicate, be sure to speak directly to the person, not the assisting them.
- Allow time for delayed responses. Don't try to guess what the person is saying.

Disability Etiquette

Autism and Sensory Disabilities

- Eye contact may be distracting or uncomfortable, do not pursue eye contact
- Large groups, high noise levels and harsh lighting may be overstimulating. Dim lights and minimize noise.
- Respectfully allow a person's self soothing strategies (aka stimming).

Disability Etiquette

Autism and Sensory Disabilities

- Sudden changes can be upsetting so try to be as consistent as possible. Communicate changes as soon as possible.
- Allow for longer processing time during communication.
- Be open to using alternate forms of communication, such as text-based communication and ASL interpreters.

Disability Etiquette

Mobility Device Users

People who use wheelchairs or scooters

- The wheelchair is part of their personal space. Don't touch, lean on or reach over the chair. Don't ask to put a coat or package on the person's lap.
- Ask if someone wants help. If they say yes, ask for specific instructions.
 - Do not just start helping them. This can create potentially dangerous or uncomfortable situations.

Disability Etiquette

Mobility Device Users

People who use wheelchairs or scooters

- Offer to reach items from high shelves or push out of reach buttons.
- To converse, position yourself to permit eye-contact. Pull up a chair or if standing, back up a few steps.

Mobility Device Users

People who use canes, crutches, walkers or similar devices

- Need their arms to maintain balance. Don't grab the person's arm.
- Give them extra space to use their equipment.
- Walk at the pace of the person you are accompanying.
- Make seating available to avoid prolonged standing. Chairs with arms and higher seats are often easier for people to use.
- Do not take their device and position it beyond their reach.

Disability Bias and Trauma

Bias and Oppression is Traumatizing

Traumatic events are those that scare us, make us feel unsafe, fearing that the negative experiences will be repeated. This is sometimes based upon experiences of repeated bias or abuse.

Generational Trauma

Generational trauma occurs when trauma is passed from one generation to the next.

This sometimes happens in the case of inherited disabilities.

Intimate Oppression

Intimate oppression occurs when a loving person, usually a parent, transfers their internalized oppression to a child, other family or community member.

Example

A mother teaching her disabled daughter that a woman's value lies in her ability to get a husband while sending a message that no man will want to marry her because of her disability.

Internalized Oppression

Internalized oppression is when people come to believe in their own inferiority and often the stereotypes about their identity group(s).

Trauma in Health Care

People with disabilities disproportionately experience medical traumas. This is due to ableism and the fact that people with disabilities have more contact with medical providers.

Traumatic Experiences in Health Care

Some traumatic experiences include:

- Being refused services
- Not being believed
- Being spoken to in less than respectable ways (patronizing, pitying, scolding)
- Being forcibly restrained
- Being “blamed” for one’s disability or medical condition
- Services being inaccessible

A Few Examples of Trauma Symptoms

- Headaches
- Weight loss (without dieting)
- Flashbacks
- Sleep difficulties
- Anxiety attacks
- Sadness/uncontrollable crying
- Dizziness/difficulty breathing
- Passing out
- Anger management issues
- Desire to physically hurt yourself or others

[Trauma Symptom Checklist \(National Center for PTSD\)](#)

Trauma-Informed Care

Trauma-informed care shifts the focus from “What’s wrong with you?” to “What happened to you?”

Health care teams need to have a complete picture of a person’s life situation in order to provide trauma-informed care.

Objectives of Trauma Informed Care

Trauma Informed Care Seeks to:

- Realize widespread impact of trauma and understand paths for recovery.
- Recognize the signs and symptoms of trauma in patients , families and staff.
- Integrate knowledge about trauma into policies, procedures and practices.
- Actively avoid re-traumatization.

Benefits of Trauma-Informed Care

Many people with trauma have difficulty maintaining healthy, open relationships with a health care provider.

By utilizing a trauma-informed approach, you will:

- Improve patient engagement
- Improve treatment adherence
- Improve health outcomes
- Help reduce unnecessary treatment and excess costs

It also may help reduce staff burnout and reduce turnover.

Principles of Trauma Informed Care

- **Safety:** Throughout the organization, patients and staff feel physically and psychologically safe.
- **Trustworthiness + Transparency:** Decisions are made with transparency and with the goal of building and maintaining trust.
- **Peer Support:** People with shared experiences are integrated into the organization and viewed as integral to service delivery.

Principles of Trauma Informed Care

- **Collaboration:** Power differences between staff and clients and among organizational staff are leveled to support shared decision making.
- **Empowerment:** Patient and staff strengths are recognized, build upon and validated.
- **Humility + Responsiveness:** Biases and stereotypes and historical trauma are recognized and addressed.

Supporting People with Disabilities During the Vaccination Process

Avoid Triggering Environments

- Vaccine sites that are crowded, noisy, unpredictable, and confusing.

Triggering Behaviors

- Using a raised voice (even it is only meant to provide instruction).
- Expecting people to be able to move and speak quickly.

Perceived Inappropriate Behavior

What to do:

- Approach the person and calmly talk / interact with them
- Ask how you can help
- Brainstorm solutions together
- De-escalate

De-Escalation

Some de-escalation strategies:

1. Be Empathic and Nonjudgmental
2. Respect Personal Space
3. Use Non-threatening Nonverbals
4. Keep Your Emotional Brain in Check
5. Set Limits
6. Choose Wisely What You Insist Upon
7. Allow Silence for Reflection
8. Allow Time for Decisions

What to Do to Make the Vaccination Process More Comfortable

You should:

- Ask what the person needs.
- Invite them to the quiet low stimulation area, if needed.
- Invite them to move to the front of the line and explain what will happen next, if this is your practice.

What to Do to Make the Vaccination Process More Comfortable

Create a lower stimulation environment by:

- Asking people to speak in low tones and modeling it
- Using incandescent lighting, where feasible

Provide objects that are soothing, such as:

- Fidget devices
- Weighted blankets

What to Do to Make the Vaccination Process More Comfortable

Be flexible:

- Give injection in space outside of designated injection area
- Permit people to walk or move
- Walk or move with people if they want

Do you have examples?

Actions to Avoid During an Incident

- Do not call 911!
 - Unless the person is threatening to physically hurt themselves or others.

Scenarios

Scenario 1

A person in line to receive a vaccine motions for you to come to them.

As you approach, they begin talking faster and louder and becoming angry. They tell you that they cannot stand much longer, they are in pain and that there are no chairs. They say that you are violating the ADA and that if they fall or get hurt, they will sue you! They talk faster and louder, with increasing anger.

Scenario 2

A Deaf person is checking into your site for a vaccination. He pre-registered and requested an ASL interpreter, who is at the appointment.

Two men waiting to register start to complain loudly and rudely that this person is taking up too much time with “all those weird hand motions” and that it is “as bad as those people who don’t speak English.” Other people are visibly uncomfortable.

Inclusivity Suggestions

Involve People with Disabilities

People with a wide variety of disabilities should be included in all aspects of planning and implementation.

Without our involvement, there will not be equity.

Involve People with Disabilities

- Create a culture where it's easier to include people with disabilities in planning:
 - Plan physical meetings so they are always in accessible spaces and on a bus route if your area has public transit.
 - Create accessible material inviting people to and that is disseminated during and after meetings for people who don't read print.
 - Ensure sign language interpreters are provided when necessary.

Resources

Resources

Local Centers for Independent Living (CIL)

- [Mainstream Center for Independent Living](#)
- [Spa Area Independent Living Services, Inc. \(SAILs\)](#)
- [Southeast Arkansas Independent Living Services \(SAILs\)](#)
- [Sources for Community Independent Living Services, Inc.](#)

Resources

Plain Language

- **Self Advocacy Resource and Technical Assistance Center (SARTAC):** [COVID-19 Vaccine Information in Plain Language](#)
- **Autistic Self Advocacy Network (ASAN):** [COVID-19 Vaccine Fact Sheet in Plain Language](#)
- **Association of University Centers on Disabilities (AUCD):** [Tools for Using Plain Language and Easy Read](#)
- **CDC's National Center for Health Marketing:** [Plain language thesaurus for health communications](#)

Resources

Vaccines

- **CDC:** [Prevaccination Checklist for COVID-19 Vaccines](#)
- **CDC:** [In-Home COVID-19 Vaccinations](#)
- **Immunization Action Coalition:** [Screening Checklist for Contraindications to Vaccines for Adults](#)

Project ALIVE



Accessible Life-saving Integrated Vaccine Equity

Project ALIVE is supported by the Centers for Disease Control and Prevention of the U.S. Department of Health and Human Services (HHS) as part of a financial assistance award totaling \$1,900,000 with 100 percent funded by CDC/HHS. The contents are those of the author(s) and do not necessarily represent the official views of, nor an endorsement, by CDC/HHS, or the U.S. Government.

Project ALI  E



Accessible Life-saving Integrated Vaccine Equity

Thank you!

Regina S. Dyton, MSW

regina@disasterstrategies.org

(860) 752-8091